





Suture Anchor Pamphlet

Parcus Medical designs, manufactures, and distributes implants and instrumentation used by orthopedic surgeons in sports medicine procedures to repair the shoulder, knee, hip, and distal extremities. Parcus offers over 400 innovative products, in over 60 countries around the world. Founded in 2007, Parcus Medical is headquartered in Sarasota, Florida.

Parcus Medical's **Value Proposition Program** is designed to reduce cost per case by:

- Cost savings on a per implant basis due to in-house design and manufacturing
- Reusable instrumentation available (single use instruments often result in higher costs)
- Products available individually (kitted products often result in the purchase of unused products)

AcTiFlip Biceps Tenodesis System.....	2
Twist Knotless Screw-In Suture Anchors	3
SLiK™ Fix Screw-In Tenodesis System.....	4
SLiK™ Knotless Screw-In Anchors	5
Draw Tight™ Suture-Based Anchors.....	6
Knotless PEEK CF Push-In Suture Anchors	7
PEEK CF Push-In Suture Anchors.....	8
V-LoX™ & V-LoX ³ PEEK CF Screw-In Suture Anchors.....	9
Twist & Triple Twist PEEK Screw-In Suture Anchors	10
MiTi & MiTi XL Titanium Screw-In Suture Anchors	11
V-LoX & V-LoX ³ Titanium Screw-In Suture Anchors	12
Parcus Braid™	13



AcTiFlip is a button fixation system recommended for proximal biceps tenodesis and distal biceps repair. The titanium AcTiFlip button is designed for unicortical and bicortical techniques. AcTiFlip is available in two configurations. The innovative "Cinch Loop" option saves time in the operating room. The "Infinity Loop" option is designed for conventional whip stitching of the biceps tendon.

Features & Benefits

AcTiFlip Inserter

- Robust and reliable insertion of the button

Retractable finger

- Ability to reload the button if needed

Cinch loop

- Eliminates the need to whip stitch the biceps tendon
- Precise control and tension on the biceps tendon

AcTiFlip Biceps Tenodesis System

Part #	Width of Button (mm)	Length of Button (mm)	Description	Length of Loop (mm)	QTY/Box
11183	3.9	12	AcTiFlip, cinch loop, w/1, #2 suture (wht/blu), w/ needles (MO-6)	-	1
11185	3.9	12	AcTiFlip, w/1 infinity loop (wht/blu), w/needle, w/suture passer	-	1

AcTiFlip Instrumentation

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
11152	4.5	Shoulder	AcTiFlip, drill bit	Sterile	Single-use
11126	4.5	Shoulder	AcTiFlip, cannulated headed drill bit, w/guide wire	Sterile	Single-use




AcTiFlip Components

1	AcTiFlip button
2	Inserter shaft with post
3	Retractable finger
4	Handle with activation button
5	Reload pin
6	AcTiFlip cinch loop
7	AcTiFlip drill bit



Shoulder



Twist Knotless was designed to be extremely reliable and strong. The fully threaded screw-in knotless anchor is ideally suited for rotator cuff repair and Achilles repair.

Features & Benefits

Knotless

- Provides a step-saving alternative to conventional "knotted" suture anchors
- Eliminates "knot stacks" associated with soft tissue irritation

Fully-threaded design

- Optimal cortical fixation
- Reduce the risk of "pull-back"

Made of PEEK-OPTIMA Natural

- Non-absorbable, radiolucent, and MR safe

Twist Knotless

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11165	4.75	15	Twist Knotless, screw-in, suture anchor, w/suture passer	PEEK	1
11166	5.5	15	Twist Knotless, screw-in, suture anchor, w/suture passer	PEEK	1
11167	6.25	15	Twist Knotless, screw-in, suture anchor, w/suture passer	PEEK	1

Twist Knotless DEX

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11259	4.75	15	Twist Knotless DEX, screw-in, suture anchor, w/suture passer	PEEK	1
11260	5.5	15	Twist Knotless DEX, screw-in, suture anchor, w/suture passer	PEEK	1
11261	6.25	15	Twist Knotless DEX, screw-in, suture anchor, w/suture passer	PEEK	1

AcTiFlip Instrumentation

Part #	Diameter (mm)	Joint	Description	Sterile/Unsterile	Single-use/Reusable
11172	-	Shoulder	Awl, w/taper from 3.6mm to 4.1mm	Unsterile	Reusable




Twist Knotless DEX



Twist Knotless





SLiK Fix is a screw-in tenodesis system recommended for use in both large and small-joint repairs. **SLiK Fix** is ideally suited for biceps repair. Available in both carbon fiber-reinforced PEEK-OPTIMA and natural PEEK-OPTIMA.

Features & Benefits

Activation button

- Allows for one-handed insertion which saves time in the operating room

Suture retention tip and tendon washer

- Effective manipulation of tendon

Designed to advance tendon prior to fixation


- Compression fixation along full length of implant

SLiK Fix PEEK CF Screws

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10995	7	15	SLiK Fix , tenodesis screw	PEEK CF	1
10996	8	15	SLiK Fix , tenodesis screw	PEEK CF	1
10997	9	15	SLiK Fix , tenodesis screw	PEEK CF	1



Shoulder



SLiK is a knotless screw-in anchor recommended for use in both large and small-joint repairs. Combining the **SLiK** anchor with Parcus Braid Suture Tape helps to create an ideal knotless double row rotator cuff repair. Available in both carbon fiber-reinforced PEEK-OPTIMA and natural PEEK-OPTIMA.

Features & Benefits

Activation button

- Allows for one-handed insertion which saves time in the operating room

Large suture guide

- Ability to set tension prior to fixation
- Accommodates multiple suture/tape configurations

Knotless


- Provides a step-saving alternative to conventional "knotted" suture anchors
- Eliminates "knot stacks" associated with soft tissue irritation


SLiK PEEK CF Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10957	5.5	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK CF	1
10958	6.25	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK CF	1

SLiK PEEK Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10915	4.75	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK	1
10918	5.5	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK	1
10919	6.25	15	SLiK , knotless, screw-in, suture anchor, w/suture passer	PEEK	1





Draw Tight Suture-Based Anchors are recommended for use in both large and small-joint repairs. Made with UHMWPE and a natural PEEK-OPTIMA power tip.

Features & Benefits

Small insertion footprint & sub-cortical fixation

- Bone sparing

Deployment sutures

- Tactile confirmation the anchor has been successfully deployed

PEEK power tip

- Delivers improved insertion and a solid core for stronger fixation

Draw Tight DEX Suture-Based Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11034	1.8	-	Draw Tight DEX, push-in, suture anchor, w/1, 1.6mm suture tape (wht/blu), w/needles (MO-6)	UHMWPE	1

Draw Tight Suture-Based Anchors


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10565	1.8	-	Draw Tight, push-in, suture-based anchor, w/1, #2 suture (wht/blu)	UHMWPE	1
10820	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, #2 sutures (blu & blu/blu)	UHMWPE	1
10588	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, #2 sutures (wht/blu & wht/blk)	UHMWPE	1

Draw Tight Suture-Based Anchors w/Suture Tape

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11148	1.8	-	Draw Tight, push-in, suture-based anchor, w/1 1.6mm suture tape (wht/blu)	UHMWPE	1
11151	3.2	-	Draw Tight, push-in, suture-based anchor, w/2, 1.6mm suture tapes (wht/blu & wht/blk)	UHMWPE	1



Shoulder



Knotless PEEK CF Push-In Suture Anchors are recommended for use in both large and small-joint repairs.

Features & Benefits

Made of carbon fiber-reinforced PEEK-OPTIMA

- Non-absorbable, radiolucent, and MR safe
- Modulus of elasticity closely matching cortical bone

Knotless

- Provides a step-saving alternative to conventional "knotted" suture anchors
- Eliminates "knot stacks" associated with soft tissue irritation

Knotless PEEK CF Push-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10312	2.8	10.2	28 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1
10994	3.5	10.2	35 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1
10313	3.5	10.2	35 Knotless, push-in, suture anchor (implant only, driver not included), w/suture passer	PEEK CF	1
10314	4.5	16.3	45 Knotless, push-in, suture anchor (implant only, driver not included), w/suture passer	PEEK CF	1
11175	4.5	16.3	45 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1
10315	5.5	18.1	55 Knotless, push-in, suture anchor (implant only, driver not included), w/suture passer	PEEK CF	1
11176	5.5	18.1	55 Knotless, push-in, suture anchor, w/suture passer	PEEK CF	1


Knotless PEEK CF Push-In Suture Anchor, Hip Length

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10312H	2.8	10.2	28 Knotless, push-in, suture anchor, w/hip length driver, w/suture passer	PEEK CF	1



Shoulder





PEEK CF Push-In Suture Anchors are recommended for knotted fixation in shoulder instability or foot and ankle.

Features & Benefits

Made of carbon fiber-reinforced PEEK-OPTIMA


- Non-absorbable, radiolucent, and MR safe
- Modulus of elasticity closely matching cortical bone

PEEK CF Push-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10323T	3.5	8	Push-in, suture anchor, w/ 2, #2 sutures (blu & wht/grn)	PEEK CF	1
10407	3.5	8	Push-in, suture anchor, w/ 2, #2 sutures (blu & wht/grn), w/needles (MO-6 short)	PEEK CF	1



Shoulder



V-LoX and V-LoX³ PEEK CF Screw-In Suture Anchors, the first family of suture anchors manufactured from carbon fiber-reinforced PEEK-OPTIMA, are recommended for use in both large and small-joint repairs.

Features & Benefits

Fully-threaded design

- Optimal cortical fixation
- Reduces the risk of "pull-back"

Made of carbon fiber-reinforced PEEK-OPTIMA

- Non-absorbable, radiolucent, and MR safe
- Modulus of elasticity closely matching cortical bone

V-LoX PEEK CF Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10253T	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK CF	1
10253	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht/blu & wht/blk)	PEEK CF	1
10254T	6.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK CF	1
10263	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK CF	1
10264	6.5	12.7	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK CF	1

V-LoX³ PEEK CF Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10324T	5.5	12.7	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK CF	1
10325T	6.5	12.7	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK CF	1


V-LoX PEEK CF Screw-In Suture Anchors w/Suture Tape

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11026	5.5	12.7	V-LoX, screw-in, suture anchor, w/2, 1.6mm suture tapes (wht/blu & wh/blk)	PEEK CF	1
11027	6.5	12.7	V-LoX, screw-in, suture anchor, w/2, 1.6mm suture tapes (wht/blu & wh/blk)	PEEK CF	1



Shoulder





Twist & Triple Twist PEEK Screw-In Suture Anchors are recommended for use in both large and small-joint repairs.

Features & Benefits

Fully-threaded design

- Optimal cortical fixation
- Reduces the risk of "pull-back"

Made of PEEK-OPTIMA Natural

- Non-absorbable, radiolucent, MR safe

Twist PEEK Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10511T	4.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK	1
10517T	5.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK	1
10518T	6.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	PEEK	1
10521	4.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK	1
10522	5.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK	1
10523	6.5	12.6	Twist, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	PEEK	1

Triple Twist PEEK Screw-In Suture Anchors


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10524T	5.5	12.6	Triple Twist, screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK	1
10525T	6.5	12.6	Triple Twist, screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn & wht/blk)	PEEK	1

Twist PEEK Screw-In Suture Anchors w/Two Suture Tapes

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
11003	4.5	12.6	Twist, screw-in, suture anchor, w/2 1.6mm suture tapes (wht/blu & wht/blk)	PEEK	1
11004	5.5	12.6	Twist, screw-in, suture anchor, w/2 1.6mm suture tapes (wht/blu & wht/blk)	PEEK	1
11005	6.5	12.6	Twist, screw-in, suture anchor, w/2 1.6mm suture tapes (wht/blu & wht/blk)	PEEK	1



Shoulder



MiT_i and MiTi XL Screw-In Suture Anchors are recommended to address a variety of small-joint applications due to their small diameter and tremendous pull-out strength. The MiTi XL, featuring an extended shaft, is ideal for the arthroscopic management of shoulder instability.

Features & Benefits

Fully-threaded design

- Optimal cortical fixation
- Reduces the risk of "pull-back"

Made of 6Al-4V ELI titanium alloy


- Self-tapping threads


MiT_i Titanium Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10425	2	6.4	MiT _i , screw-in, suture anchor, w/2, 3-0 sutures (wht & wht/blu), w/needles (BB-1), w/drill bit	Titanium	1
10433	2.5	6.4	MiT _i , screw-in, suture anchor, w/1, #2 suture (wht/blu), w/needles (MO-6), w/drill bit	Titanium	1
10429	2.5	6.4	MiT _i , screw-in, suture anchor, w/2, 3-0 sutures (wht & wht/blu), w/needles (BB-1), w/drill bit	Titanium	1
10472	3.5	7.6	MiT _i , screw-in, suture anchor, w/1, #2 suture (wht/blu), w/needles (MO-6), w/drill bit	Titanium	1

MiT_i XL Arthroscopic Length Titanium Screw-In Suture Anchor

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10434	2.5	6.4	MiT _i XL, screw-in, suture anchor, w/1, #2 suture (wht/blu), w/arthroscopic length driver	Titanium	1





V-LoX & V-LoX³ Titanium Screw-In Suture Anchors are recommended for use in both large and small-joint repairs. Quick, easy, and reliable; titanium implants deliver high strength and stability while reducing the need for drilling and tapping.

Features & Benefits

Fully-threaded design

- Optimal cortical fixation
- Reduces the risk of "pull-back"

Made of 6Al-4V ELI titanium alloy


- Self-tapping threads

V-LoX Titanium Screw-In Suture Anchors


Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10353T	4.5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	Titanium	1
10251	5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht/blu & wht/blk)	Titanium	1
10356T	5.5	14.1	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	Titanium	1
10252T	6.5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (blu & wht/grn)	Titanium	1
10257	5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	Titanium	1
10258	6.5	13.9	V-LoX, screw-in, suture anchor, w/2, #2 sutures (wht & wht/blu), w/needles (MO-6)	Titanium	1

V-LoX³ Titanium Screw-In Suture Anchors

Part #	Diameter (mm)	Length (mm)	Description	Material	QTY/Box
10284T	5.5	14.1	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn, wht/blk)	Titanium	1
10358T	6.5	13.9	V-LoX ³ , screw-in, suture anchor, w/3, #2 sutures (blu, wht/grn, wht/blk)	Titanium	1



Shoulder



Parcus Braid, available in multiple configurations: suture tape, infinity loop, and suture, is recommended for use in soft tissue approximation and allograft tissues in sports medicine procedures.

Features & Benefits

Made of Ultra High Molecular Weight Polyethylene (UHMWPE)

- High strength
- Non-absorbable

Variety of color combinations

- Suture management in complicated repairs

Various needle options

- Ideal for open surgical procedures

Parcus Braid Suture					
Part #	Size	Description	Total Length (in)	Working/Loop Length (in)	QTY/ Box
20046	#1	Parcus Braid, suture (wht/blu)	36	-	12
20050	#2	Parcus Braid, suture (wht/blu)	36	-	12
20049	#2	2, Parcus Braid, sutures (wht/blu & wht/blk)	36	-	12
20049S	#2	2, Parcus Braid, sutures (wht/blu & wht/blk)	36	-	1
20035S	#2	Parcus Braid, suture (blu), w/needles (MO-6 & CE)	36	-	1
20055	#2	Parcus Braid, suture (wht), w/needles (MO-6)	36	-	12
20055S	#2	Parcus Braid, suture (wht), w/needles (MO-6)	36	-	1
20054	#2	Parcus Braid, suture (wht/blk), w/needles (MO-6)	36	-	12
20054S	#2	Parcus Braid, suture (wht/blk), w/needles (MO-6)	36	-	1
20059	#5	Parcus Braid, suture (wht), w/needles (CCS)	36	-	12
20059S	#5	Parcus Braid, suture (wht), w/needles (CCS)	36	-	1

Parcus Braid Infinity Loop					
Part #	Size	Description	Total Length (in)	Working/Loop Length (in)	QTY/ Box
20053	#2	Parcus Braid, infinity loop (wht), w/needle	24	20	12
20053S	#2	Parcus Braid, infinity loop (wht), w/needle	24	20	1
20056	#2	Parcus Braid, infinity loop (wht/blu), w/needle	24	20	12
20056S	#2	Parcus Braid, infinity loop (wht/blu), w/needle	24	20	1
20060	#5	Parcus Braid, infinity loop (wht/blu), w/needle	24	20	12

Parcus Braid Suture Tape					
Part #	Size	Description	Total Length (in)	Working/Loop Length (in)	QTY/ Box
20032S	1.6mm	Parcus Braid, suture tape (wht/blu)	39	27	1
20034S	1.6mm	Parcus Braid, suture tape (wht/blk)	39	27	1
20042	2mm	Parcus Braid, suture tape (wht/blu)	39	7	6
20042S	2mm	Parcus Braid, suture tape (wht/blu)	39	7	1

Key: Needles

Type	Description
CE	Reverse cutting curved needle
MO-6	Curved, 28mm needle
MO-6 & CE	MO-6 needle on one side, CE needle on the other side
BB-1	Curved 17mm needle with taper point
CCS	48mm curved piercing needle

Shoulder

